



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO		
09/236,350	01/25/1999	ISAMU UENO	35.C13282	1615		
5514	7590 04/07/2005		EXAM	EXAMINER		
FITZPATRICK CELLA HARPER & SCINTO			MISLEH,	MISLEH, JUSTIN P		
NEW YORK,	ELLER PLAZA NY 10112		ART UNIT	PAPER NUMBER		
•			2612			
			DATE MAILED: 04/07/2009	5		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	 			
Office Action Summary		09/236,350	UENO ET AL.				
		Examiner	Art Unit				
		Justin P Misleh	2612				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)[🗆	Responsive to communication(s) filed on 17 h	farch 2005.					
• —	•	action is non-final.					
3)□	,—						
Disposition of Claims							
5)□ 6)⊠ 7)□	 4) Claim(s) 1 - 10 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1 - 10 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Applicat	ion Papers						
9) The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority (under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
	ce of References Cited (PTO-892)		Summary (PTO-413)				
3) Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 er No(s)/Mail Date	T	s)/Mail Date nformal Patent Application (PT0 	O-152)			

Application/Control Number: 09/236,350 Page 2

Art Unit: 2612

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 17 March 2005 has been entered.

Response to Arguments

- 2. Applicant's arguments filed 17 March 2005 have been fully considered but they are not persuasive.
- 3. Applicant's allege Ukita fails to disclose an operation providing two color difference signals using all the pixels included in the periodicity unit of the color filter array because Ukita's figure 2 discloses a periodicity unit of four rows x two columns.
- 4. Ukita discloses, as shown in figure 3 and as stated in columns 9 (lines 38 58), 10 (lines 48 67), and 11 (lines 1 33), an operation circuit (CLCRCB generation circuit 104) that provides two different color difference signals (CR corresponding to equations 18 20 and CB corresponding to equations 21 23) on the basis of four color pixels. Ukita states, "the data of signals D(x, y), D(x+1, y), D(x, y+1), and D(x+1, y+1) read out from CCD 10 stored in RAM 106 corresponding to pixels (x, y) is read out by CLCRCB generation circuit 104, which multiplies these signals by factors Kc(x, y), Kc(x+1, y), Kc(x, y+1), and Kc(x+1, y+1) depending

Art Unit: 2612

on the color of a filter corresponding to each read out data, then adds up the results to generate a signal Cc(x, y) corresponding to the central position of these four pixels (x, y), (x+1, y), (x, y+1), and (x+1, y+1)" disposed in a two rows x two columns arrangement. Therefore, Ukita discloses an operation providing two color difference signals using all the pixels included in the periodicity unit of the color filter array.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takizawa et al. in view of Ukita.
- 7. For Claim 1, Takizawa et al. disclose, as shown in 4 and 5 and as stated in column 8 (lines 44 54), an image pickup apparatus (see figure 1) comprising:

a plurality of pixels (There is a one-to-one correspondence of each filter color to a single pixel; see column 6, lines 34 - 40.);

a color filter array (Any one of the respective filter of figures 4 and 5.) of four filters (combination complimentary colors) disposed on said plurality of pixels (see column 8, lines 44 – 54);

wherein said color filter array (see figures 4 and 5) has a periodicity unit of two rows x two columns (Takizawa et al. specifically states, "Figures 4 to 6 each illustrate a basic structure

Art Unit: 2612

of combination of each color filter and according to the number of pixels of the CCD, the filter structure having the same pattern is repeatedly employed."); and

wherein colors of the color filters in the periodicity unit of two rows x two columns are all different from each other and have fixed positions (In figure 4, the four colors are: Magenta, Green, Cyan, and Yellow. In figure 5, the four colors are: White, Green, Cyan, and Yellow.).

While Takizawa et al. disclose wherein the color filter array has a periodicity unit of two rows x two columns and an operation circuit for performing interpolation on the basis of the periodicity unit; Takizawa et al. do not disclose an operation circuit that provides at least two different color difference signals on the basis of a two rows x two columns arrangement.

On the other hand, Ukita also provides an image pickup apparatus with a color filter array of four filters disposed in two rows x two columns arrangement and an operation circuit. More specifically, Ukita teaches, as shown in figure 3 and as stated in columns 9 (lines 38 - 58), 10 (lines 48 - 67), and 11 (lines 1 - 33), an operation circuit (CLCRCB generation circuit 104) that provides two different color difference signals (CR corresponding to equations 18 - 20 and CB corresponding to equations 21 - 23) on the basis of four color pixels. Ukita states, "the data of signals D(x, y), D(x+1, y), D(x, y+1), and D(x+1, y+1) read out from CCD 10 stored in RAM 106 corresponding to pixels (x, y) is read out by CLCRCB generation circuit 104, which multiplies these signals by factors Kc(x, y), Kc(x+1, y), Kc(x, y+1), and Kc(x+1, y+1) depending on the color of a filter corresponding to each read out data, then adds up the results to generate a signal Cc(x, y) corresponding to the central position of these four pixels (x, y), (x+1, y), (x, y+1), and (x+1, y+1)" disposed in a two rows x two columns arrangement. Therefore, Ukita discloses

Application/Control Number: 09/236,350

Art Unit: 2612

an operation providing two color difference signals using all the pixels included in the periodicity unit of the color filter array.

As stated in Ukita at column 7 (lines 23 – 33), at the time the invention was made, one with ordinary skill in the art would have been motivated to include an operation circuit that provides at least two different color difference signals using all the pixels included in the periodicity unit, as taught by Ukita, in the image pickup apparatus, of Takizawa et al., as a means for increasing the number of effective pixels of the image pickup apparatus and restricting the generation of ghost color signals. Therefore, at the time the invention was made, it would have been obvious to one with ordinary skill in the art to include an operation circuit that provides at least two different color difference signals using all the pixels included in the periodicity unit, as taught by Ukita, in the image pickup apparatus, of Takizawa et al.

- 8. As for Claim 2, Takizawa et al. disclose, as shown in figure 4, an image pickup apparatus according to Claim 1, wherein the color filters in the periodicity unit include a filter for transmitting only green light (G of figure 4) in a visible light range, a filter for intercepting only blue (Ye of figure 4) color in the visible light range, a filter for intercepting only green light (Mg of figure 4) in the visible light range, and a filter for intercepting only red light (Cy of figure 4) in the visible light range.
- 9. As for Claim 3, as shown in Claim 1, Ukita also disclose, as shown in figure 8, an image pickup apparatus comprised of a plurality of pixels and a color filter array of four colors (Mg, G, ye, and Cy) disposed on said plurality of pixels wherein colors of color filters within a unit of two rows by two columns are all different (clearly shown in figure 8). In addition, Ukita disclose, as shown as stated in columns 15 (lines 33 64), 16, and 17 (lines 1 59), the image

Application/Control Number: 09/236,350

Art Unit: 2612

Page 6

pickup apparatus further comprising a first operation unit which performs an operation of A + B - C - D (see column 15, lines 44 – 54), where A, B, C, and D represent signals picked up from an area of two rows by two columns. As stated in columns 16 (7 – 12), at the time the invention was made one with ordinary skill in the art would have been motivated to include the first operation performing the operation A + B - C - D as taught by Ukita in the image pickup apparatus of Takizawa et al. as a means to provide a luminance and a color difference signal for each pixel thereby yielding a high resolution color separation. Therefore, at the time the invention was made, it would have been obvious for one with ordinary skill in the art to include the first operation performing the operation A + B - C - D as taught by Ukita in the image pickup apparatus of Takizawa et al.

10. As for Claim 5, as shown in Claim 3, Ukita also disclose, as shown in figure 8, an image pickup apparatus comprised of a plurality of pixels and a color filter array of four colors (Mg, G, ye, and Cy) disposed on said plurality of pixels wherein colors of color filters within a unit of two rows by two columns are all different (clearly shown in figure 8). In addition, Ukita disclose, as shown as stated in column 15 (lines 33 - 64), 16, and 17 (lines 1 - 59), the image pickup apparatus further comprising a first operation unit which performs an operation of A + C - B - D (see column 16, lines 39 - 46), where A, B, C, and D represent signals picked up from an area of two rows by two columns. As stated in columns 16 (7 - 12), at the time the invention was made one with ordinary skill in the art would have been motivated to include the first operation performing the operation A + C - B - D as taught by Ukita in the image pickup apparatus of Takizawa et al. as a means to provide a luminance and a color difference signal for each pixel thereby yielding a high resolution color separation. Therefore, at the time the

Art Unit: 2612

invention was made, it would have been obvious for one with ordinary skill in the art to include the first operation performing the operation A + C - B - D as taught by Ukita in the image pickup apparatus of Takizawa et al.

- 11. As for **Claims 4 and 6**, Ukita disclose, the image pickup apparatus wherein the signals A and B are disposed on a same line or on a same column, and the signals C and D are disposed on a same line or column.
- 12. As for Claim 7, Takizawa et al. disclose, an image pickup apparatus comprising: a plurality of pixels; and a color filter array of four colors disposed on said plurality of pixels, wherein said color filter array has a periodicity of two rows by two columns, and wherein colors of color filters in a periodical unit of two rows by two columns are all different from each other and have fixed positions. Takizawa et al. do not disclose, the image pickup apparatus further comprising a first read-out unit which reads out a difference between: (a) an addition signal of a first row, first column signal and a first row, second column signal, and (b) an addition signal of a second row, first column signal and a second row, second column signal, in an area of two rows by two columns, and a second readout unit which reads out a difference between: (a) an addition signal of a first row, first column signal and a second row, first column signal, and (b) an addition signal of a first row, second column signal and a second row, second column signal, and (b) an addition signal of a first row, second column signal and a second row, second column signal, in the area of tows by two columns.

However, Ukita also disclose, as shown in figure 8, an image pickup apparatus comprised of a plurality of pixels and a color filter array of four colors (Mg, G, ye, and Cy) disposed on said plurality of pixels wherein colors of color filters within a unit of two rows by two columns are all different (clearly shown in figure 8). In addition, Ukita disclose, as shown as stated in columns

Application/Control Number: 09/236,350

Art Unit: 2612

15 (lines 33 - 64), 16, and 17 (lines 1 - 59), the image pickup apparatus further comprising a first read-out unit (see column 15, lines 44 - 54) see which reads out a difference between: (a) an addition signal of a first row, first column signal and a first row, second column signal, and (b) an addition signal of a second row, first column signal and a second row, second column signal, in an area of two rows by two columns, and a second readout unit (see column 16, lines 39-46) which reads out a difference between: (a) an addition signal of a first row, first column signal and a second row, first column signal, and (b) an addition signal of a first row, second column signal and a second row, second column signal, in the area of tows by two columns. As stated in columns 16(7-12), at the time the invention was made one with ordinary skill in the art would have been motivated to include a first and second readout unit performing the operations as taught by Ukita in the image pickup apparatus of Takizawa et al. as a means to provide a luminance and a color difference signal for each pixel thereby yielding a high resolution color separation. Therefore, at the time the invention was made, it would have been obvious for one with ordinary skill in the art to include the first and second readout units performing the operations as taught by Ukita in the image pickup apparatus of Takizawa et al.

Page 8

- 13. As for **Claim 8**, Takizawa et al. disclose, the image pickup apparatus wherein areas of two rows by two columns are disposed without any space there between.
- 14. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takizawa et al. in view of Ukita in further view of Sugiki.
- 15. As for Claims 9 and 10, Takizawa et al. in view of Ukita et al. show that it is obvious to provide an image pickup apparatus comprising a plurality of pixels; and a color filter array of

four colors disposed on said plurality of pixels, wherein said color filter array has a periodicity of

Page 9

two rows by two columns, wherein colors of color filters in a periodical unit of two rows by two

columns are all different from each other and have fixed positions and an operation circuit that

provides at least two different color difference signals on the two rows x two columns basis.

However, Takizawa et al. in view of Ukita do not disclose an image pickup apparatus further

comprising a read-out unit that reads out an addition signal of all signals in an area of four rows

x one column.

However, Sugiki also disclose an image pickup apparatus comprising a plurality of pixels and a color filter array of four colors disposed on said plurality of pixels. More specifically, as shown in figure 1, the four colors disposed on the plurality of pixels are Green, Cyan, Blue, and Magenta. As stated in column 1 (lines 54 - 59), to obtain one color signal, four signals representing four adjacent pixels of the same column must be processed. Thus, Sugiki teach the read-out unit that reads out an addition signal of all signals in an area of four rows x one column. As stated in column 1 (lines 43 - 46), at the time the invention was made, one with ordinary skill in the art would have been motivated to include a read-out unit that reads out an addition signal of all signals in an area of four rows x one column, as taught by Sugiki, in the image pickup apparatus of Takizawa et al. in view of Ukita, as for reading data of all the pixels within one field-period thereby enhancing the time-domain resolution without reducing sensitivity of the imaging device. Therefore, at the time invention was made, it would have been obvious to one with ordinary skill in the art to have include a read-out unit that reads out an addition signal of all signals in an area of four rows x one column, as taught by Sugiki, in the image pickup apparatus of Takizawa et al. in view of Ukita.

Application/Control Number: 09/236,350 Page 10

Art Unit: 2612

Furthermore, Sugiki does not disclose a read-out unit that reads out an addition signal of all signals in an area of four columns x one row. However, for the same motivation that it would have been obvious to include a read-out unit that reads out an addition signal of all signals in an area of four rows x one column, it also would have been obvious to include a unit that reads out an addition signal of all signals in an area of four columns x one row.

Conclusion

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Justin P Misleh whose telephone number is 571.272.7313. The Examiner can normally be reached on Monday through Thursday from 7:30 AM to 5:00 PM and on alternating Fridays from 8:00 AM to 4:30 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Wendy R Garber can be reached on 571.272.7308. The fax phone number for the organization where this application or proceeding is assigned is 703.872.9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JPM April 1, 2005

WENDY R. GARBER SUPETINISORY PATENT EXAMINER TECHNOLOGY CENTER 2500